









Таблица Б (продолжение).

1978		ТК	Таблица Б (продолжение).																
Группа		4	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
Номенклатура унифицированных эскизовых деталей.		МИЧ-1		3.4	340	2L 100x63x6 B=80	1	4φ 12AIII	490	200	α	+2.5	3.7	4.8	-	-	30		
							2	2φ 10AIII	300										
		МИЧ-2		4.1	240	2L 75x7 B=200	1	6φ 8AIII	280	200	α, β	-3.8	1.1	2.6	-	0.9	30		
							2	2φ 8AIII	200										
		МИЧ-3		3.9	190	2L 63x6 B=300	1	4φ 8AIII	280	200	α, β	-	1.0	3.0	0.25	-	30		
							2	2φ 8AIII	150										
		МИЧ-4		6.3	170	2L 63x6 B=470	1	6φ 8AIII	280	300	α	-2.0	-	4.5	-	0.8	30		
							2	3φ 8AIII	130										
		МИЧ-5		6.0	240	2L 75x7 B=200	1	6φ 12AIII	490	200	α	-1.50	2.0	3.0	-	3.4	31		
							2	2φ 8AIII	200										
МИЧ-6		7.0	390	2L 75x7 B=250	1	6φ 12AIII	490	200	α	-13.2	2.4	4.5	-	4.5	31				
					2	2φ 10AIII	350												
МИЧ-7		11.7	240	2L 110x70x8 B=300	1	8φ 14AIII	500	200	α, β	-	2.2	3.0	0.9	1.1	31				
					2	2φ 8AIII	200												
МИЧ-8		9.4	390	2L 110x70x8 B=240	1	8φ 12AIII	490	200	-	+12.0	2.4	7.0	0.6	0.5	31				
					2	3φ 10AIII	350												
МИЧ-9		4.3	240	2L 75x7 B=200	1	8φ 8AIII	280	200	α	-4.7	1.5	3.2	-	1.6	32				
					2	2φ 8AIII	200												

Пояснения к таблице см. на листе 14.





33

1978		Таблица 6 (продолжение).																	
ТК	Группа	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	
4	Таблица 6 (продолжение). Нормеклиматур унифицированных защитных деталей.	МН4-10		91	240	2L63x6 B=700		1 8φ8AIII	280		300	α	-	3.0	4.6	1.0	-		32
								2 3φ8AIII	200			α	-2.4	-	4.6	-	1.6		
		МН4-11		9.4	480	2L63x6 B=700		1 8φ8AIII	280		300	α	-	3.0	4.6	1.0	-		32
								2 3φ8AIII	440			α	-2.4	-	4.6	-	3.3		
		МН4-12		4.2	200	L20		-	4φ8AIII	330	200	-	-	-	-	1.0	-	0.5	32
		МН4-13		4.4	300	L14		-	6φ8AIII	280	200	α	-6.0	1.6	2.2	-	-	0.7	32
		МН4-14		1.1	100	L63x6		1 2φ8AIII	330	200	-	+3.0	-	-	-	-	-	-	33
								2 2φ8AIII	290										
		МН4-15		1.6	200	L63x6		1 2φ8AIII	330	200	-	+3.0	-	-	-	-	-	-	33
								2 2φ8AIII	290										
МН4-18		2.5	250	L75x7		1 2φ8AIII	330	200	-	+3.0	-	-	-	-	-	-	33		
						2 2φ8AIII	290												
МН4-22		3.6	250	L90x8		1 2φ10AIII	410	200	-	+4.8	-	-	-	-	-	-	34		
						2 2φ10AIII	360												
МН4-16		2.4	300	L65x6		1 3φ8AIII	330	200	-	+4.5	-	-	-	-	-	-	33		
						2 3φ8AIII	290												
МН4-19		3.1	300	L75x7		1 3φ8AIII	330	200	-	+4.5	-	-	-	-	-	-	33		
						2 3φ8AIII	290												
Пояснения к таблице см. на листе 14.																			

ПРОМСТРОЙНИИПРОЕКТ	п.ч. устроена п.к. конструкт. Рук группы	ОРОДСКИЙ Водопьянов Жулякова	Исполнитель Проверил Рассчитал	Бирюкова Жулякова Бирюкова	12/11/16
--------------------	--	------------------------------------	--------------------------------------	----------------------------------	----------

Таблица 6 (продолжение).

Таблица 6 (продолжение).

1978	ТК	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	
4	Группа	МНЧ-20		3.5	350	L 75x7		1 3ф 8А III 330 2 3ф 8А II 290	200	-	+4.5	-	-	-	-	-	-	33	
Номенклатура унифицированных изделий.		МНЧ-23		4.7	300	L 90x8		1 3ф 10А III 410 2 3ф 10А II 360	200	-	+7.2	-	-	-	-	-	-	34	
		МНЧ-24		5.2	350	L 90x8		1 3ф 10А III 410 2 3ф 10А II 360	200	-	+7.2	-	-	-	-	-	-	34	
		МНЧ-17		6.9	п.н	L 63x6		1 5ф 8А III 330 2 5ф 8А II 290	200	-	+6.1	-	-	-	-	-	-	34	
		МНЧ-21		9.2	п.н	L 75x7		1 5ф 8А III 330 2 5ф 8А II 290	200	-	+6.1	-	-	-	-	-	-	34	
		МНЧ-25		13.3	п.н	L 90x8		1 5ф 10А III 410 2 5ф 10А II 360	200	-	+9.6	-	-	-	-	-	-	34	
		МНЧ-26		1.0	100	L 63x6	-	4ф 8А III 290	200	а	-	2.2	-	-	-	-	-	35	
		МНЧ-27		1.5	200	L 63x6	-	4ф 8А III 290	200	а	-	2.2	-	-	-	-	-	35	
		МНЧ-30		2.4	250	L 75x7	-	4ф 8А III 290	200	а	-	2.2	-	-	-	-	-	35	
		МНЧ-34		3.6	250	L 90x8	-	4ф 10А III 360	200	а	-	3.3	-	-	-	-	-	36	
		МНЧ-28		2.4	300	L 63x6	-	6ф 8А III 290	200	а	-	3.3	-	-	-	-	-	35	
										а	-	2.6	-	0.26	-	-	-		
Серия 3.400-6/76		Пояснения к таблице см. на листе 14																	
Выпуск 10	лист																		

35

Таблица 6 (продолжение).




1978	ТК	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
4	Группа	МНЧ-31		3.1	300	L 75x7	-	6ф8АIII	290	200	α	-	3.3	-	-	-	-	35
Таблица 6 (продолжение). Наименования унифицированных закладных деталей.		МНЧ-32		3.5	350	L 75x7	-	6ф8АIII	290	200	α	-	3.3	-	-	-	-	35
		МНЧ-35		4.6	300	L 90x8	-	6ф10АIII	360	200	α	-	5.0	-	-	-	-	36
		МНЧ-36		5.1	350	L 90x8	-	6ф10АIII	360	200	α	-	5.0	-	-	-	-	36
		МНЧ-29		6.6	п.м	L 63x6	-	8ф8АIII	290	200	α	-	4.4	-	-	-	-	36
		МНЧ-33		8.9	п.м	L 75x7	-	8ф8АIII	290	200	α	-	4.4	-	-	-	-	36
		МНЧ-37		12.7	п.м	L 90x8	-	8ф10АIII	360	200	α	-	6.5	-	-	-	-	36
		МНЧ-38		10.5	220	2L180x110x10 B=200	-	4ф12АIII	450	400	-	-200	6.0	3.2	-	3.1	-	37
		МНЧ-39		15.7	220	2L180x110x10 B=300	-	6ф12АIII	460	400	-	-200	5.4	3.2	0.4	3.3	-	37
												-	-8.8	2.6	1.6	-	2.0	
													-	-8.8	2.4	1.6	0.6	2.0
Серия		Пояснения к таблице см. на листе 14.																
Выпуск лист																		
3400-6/76																		
14																		





Таблица 6 (продолжение).

1978		ТК	Таблица 6 (продолжение).																
Группа		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	
4		МНЧ-40		10.8	270	2L180x110x8 B=200	1	4φ12A III	450	300	—	-20.0	7.0	3.2	—	4.1	37		
							2	2φ12A III	170									—	-8.8
		МНЧ-41		7.2	140	2L110x70x8 B=240	1	6φ12A III	260	200	а	—	1.0	2.7	0.6	0.5	37		
		МНЧ-42		9.6	140	2L110x70x8 B=350	1	6φ12A III	260	200	а	-5.6	1.7	2.3	1.0	0.7	37		
		МНЧ-43		4.5	300	L110x70x8	1	3φ12A III	370	300	б	+2.2	2.2	3.0	0.3	—	38		
							2	2φ8A III	240										
		МНЧ-44		2.1	300	L75x50x5	1	3φ8A III	280	300	—	+4.0	—	—	—	—	38		
		МНЧ-45		0.8	100	L50x5	1	2φ8A III	280	300	—	+2.8	—	—	—	—	38		
							2	2φ8A III	290										
		МНЧ-46		4.4	п.м.	L50x5	—	5φ8A III	290	200	а	—	—	—	—	—	39		
		МНЧ-47		2.7	300	L75x7	—	3φ8A III	290	200	а	—	—	—	—	—	39		
		МНЧ-48		0.9	150	L63x5	—	2φ8A III	290	200	а	—	—	—	—	—	39		
Серия 3.100-6/76 Выпуск 12																			


37


Таблица 6 (окончание).

Таблица 6 (окончание).

1978	ТК	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17		
4,5	Группа	МНЧ-49		4,7	300	L110x70x8		1 3φ12AIII 490 2 1φ8AIII 270		300	а	-	-	3,0	-	-	39			
Таблица 6 (окончание). Номенклатура унифицированных зданий и сооружений.		МНЧ-50		9,1	200	2L63x6 B=700		1 8φ8AIII 280 2 3φ8AIII 160		300	а	-	3,0	4,6	1,0	-	40			
		МНЧ-51		9,3	400	2L63x6 B=700		1 8φ8AIII 280 2 3φ8AIII 360		300	а	-	3,0	4,6	1,0	-	40			
		МНЧ-52		4,3	250	2L63x6 B=320		1 4φ8AIII 280 2 2φ8AIII 200		200	а, б	-	1,0	3,0	0,25	-	40			
		МНЧ-53		6,2	150	2L63x6 B=470		1 6φ8AIII 280 2 3φ8AIII 100		300	а	-	2,0	4,6	0,7	-	40			
		МНЧ-54		11,4	200	330	10	-	6φ12AIII 190	200	-	-	7,3	-	0,7	-	41			
		МНЧ-55		11,7	200	330	10	-	6φ12AIII 240	200	-	-	7,3	-	0,7	-	41			
		МНЧ-56		16,9	130	500	12	-	8φ14AIII 490	300	а	+5,2	5,2	-	0,5	-	41			
		МНЧ-57		18,0	130	500	12	-	8φ14AIII 590	300	а	+5,2	5,2	-	0,5	-	41			
		серия	3,400-5/75																	
		лист	13																	

38





ПРОМСТРОИМПРОЕКТ

Гл. констр. Водопьянов
Рук. групп Жиликова

Проверил Бурякова



ТК
1978

Группа
4

Детали МН4-5 ÷ МН4-8.



Серия
3400 6/76
Выпуск лист
— 1 21

10000 57



Марка УЛС.	N нод.	Средний	Длина, мм	Кол. шт.	Вес, кг		Угол
					одн. нод.	всего нод.	
МУ-9	363	L75x7	200	2	6.99	3.2	13
	391	φ 8 A II	280	8	0.4	0.9	
	218	φ 8 A II	200	2	0.05	0.2	
МУ-10	383	L63x6	200	2	4.0	8.0	9.1
	331	φ 8 A II	280	8	0.4	0.9	
	218	φ 8 A II	200	3	0.08	0.2	
МУ-11	383	L63x6	200	2	4.0	8.0	9.4
	331	φ 8 A II	280	8	0.4	0.9	
	224	φ 8 A II	440	3	0.17	0.5	
МУ-12	379	L20	200	1	3.7	3.7	42
	327	φ 8 A II	330	4	0.13	0.5	
МУ-13	380	L14	300	1	3.7	3.7	44
	331	φ 8 A II	280	6	0.4	0.7	


MM4-9 ÷ MM4-11





УКАЗАНИЯ ПО ИЗГОТОВЛЕНИЮ
ЗАКЛАДНЫХ ДЕТАЛЕЙ СМ НА
ЛИСТЕ 15.

ТК	Группа	Детали МН4-9÷МН4-13.	Серия
1971	4		3.405-5/76
			Выпуск
			лист
			32

МНЧ-14, МНЧ-15, МНЧ-18



МНЧ-16, МНЧ-19, МНЧ-20




Спецификация
стали на одно изделие

Мат.- кв. изде- лия	N поз.	Сечение	Дли- на, мм	Кол. шт.	Вес, кг		
					по кат. ГОСТ	по кат. ГОСТ	по кат. ГОСТ
МНЧ-14	358	L63x6	100	1	0.57	0.6	
	328	Ф8А III	290	2	0.11	0.2	11
	327	Ф8А II	330	2	0.13	0.3	
МНЧ-15	359	L63x6	200	1	1.14	1.1	
	328	Ф8А II	290	2	0.11	0.2	16
	327	Ф8А II	330	2	0.13	0.3	
МНЧ-16	350	L63x6	300	1	1.72	1.7	
	328	Ф8А III	290	3	0.11	0.3	24
	327	Ф8А II	330	3	0.13	0.4	
МНЧ-18	354	L75x7	250	1	2.0	2.0	
	328	Ф8А III	290	2	0.11	0.2	25
	327	Ф8А III	330	2	0.13	0.3	
МНЧ-19	355	L75x7	300	1	2.39	2.4	
	328	Ф8А II	290	3	0.11	0.3	31
	327	Ф8А II	330	3	0.13	0.4	
МНЧ-20	385	L75x7	350	1	2.79	2.8	
	328	Ф8А III	290	3	0.11	0.3	35
	327	Ф8А II	330	3	0.13	0.4	


Указания по изготовлению
закладных деталей см. на
листе 15.

ТК 1978	Группа 4	Детали МНЧ-14 ÷ МНЧ-16, МНЧ-18 ÷ МНЧ-20	Серия З.1.00-6/76	
			выпуск 1	лист 33



16000 59



МНЧ-26, МНЧ-27, МНЧ-30



МНЧ-28, МНЧ-31, МНЧ-32


СПЕЦИФИКАЦИЯ СТАЛИ
НА ОДНО ИЗДЕЛИЕ.


Мар- ка швел.	N мод.	Сечение	Дли- на, мм	Кол. шт	Вес, кг		
					ст. 4 по 1	ст. 5 по 2	ст. 6 по 3
МНЧ-26	358	L63x6	100	1	0.57	0.5	
	328	φ 8A II	290	4	0.11	0.4	1.0
МНЧ-27	359	L63x6	200	1	1.14	1.1	
	328	φ 8A II	290	4	0.11	0.4	1.5
МНЧ-28	360	L63x6	300	1	1.72	1.7	
	328	φ 8A II	290	6	0.11	0.7	2.4
МНЧ-30	364	L75x7	250	1	2.0	2.0	
	328	φ 8A II	290	4	0.11	0.4	2.4
МНЧ-31	365	L75x7	300	1	2.39	2.4	
	328	φ 8A II	290	6	0.11	0.7	3.1
МНЧ-32	385	L75x7	350	1	2.79	2.8	
	328	φ 8A II	290	6	0.11	0.7	3.5


Указания по изготовлению
закладных деталей см.
на листе 15.

ТК	Группа	Детали МНЧ-26 ÷ МНЧ-28, МНЧ-30 ÷ МНЧ-32	Серия
1978	4		3.400-6/76
			Выпуск
			Лист
			35


16000 61









МНЧ-52, МНЧ-53



Спецификация стали на одно изделие

Нор. ко- личе- ств	№ поз.	Сечения	Дли- на, мм	Кол. шт.	Вес, кг		
					одн. поз.	всех поз.	из- веш.
МНЧ-50	383	L 63x6	700	2	4.00	8.0	
	331	φ 8 A II	280	8	0.11	0.9	9.1
	217	φ 8 A II	150	3	0.06	0.2	
МНЧ-51	383	L 63x6	700	2	4.00	8.0	
	331	φ 8 A II	280	8	0.11	0.9	9.3
	222	φ 8 A II	350	3	0.14	0.4	
МНЧ-52	390	L 63x6	320	2	1.83	3.7	
	331	φ 8 A II	280	4	0.11	0.4	4.3
	218	φ 8 A II	200	2	0.08	0.2	
МНЧ-53	382	L 63x6	470	2	2.68	5.4	
	331	φ 8 A II	280	6	0.11	0.7	6.2
	214	φ 8 A II	100	3	0.04	0.1	

МНЧ-50, МНЧ-51



Указания по изготовлению
закладных деталей см. на
листе 15.

ТК	Группа	Детали МНЧ-50 ÷ МНЧ-53.	Серия	
1978	4		3400-6/76	Выпуск
				Лист
				40

16000 66